

32


Immersion heaters for light metals

Thermoplongeurs pour métaux non-ferreux

Supratherm 32

Available power ratings

The power ratings range from 8kW to 44kW, corresponding to heating lengths from 250mm to 800mm.



Uses

Heating and temperature holding of light metals in:

- Holding furnaces
- Degassing units
- Transport ladles
- Continuous galvanizing lines
- Hot dip galvanizing lines.

Advantages


The Supratherm 32 immersion heaters family allows you to fine-tune the temperature within your furnaces, without creating overheated zones.

It also helps your factory reach energy saving and decarbonization goals.

Atherm's thermal solutions can be fully customized. Accordingly, the Supratherm 32 line offers a wide range of power ratings, by selecting immersion heaters of various lengths.




ENERGY SAVINGS



DECARBONIZATION



HIGH QUALITY ALLOYS



SHORT MAINTENANCE TIME



QUICK RE-HEATING




Al-Si, Zn-Al-Mg, and other special non-ferrous alloys

*This guarantee is issued once our technical experts have validated the project.



ATHERM



Note

- Heat transfer: conductive
- Resistance: Nickel Chromium
- Sheath: Sialon
- Power supply: adaptable, no transformer needed



Your thermal solutions partner

Atherm - FRANCE / www.atherm.com / commercial@atherm.net