


28

Immersion heaters for light metals Thermoplongeurs pour métaux non-ferreux

Supratherm 28



Available power ratings



The power ratings range from 8kW to 30kW, corresponding to heating lengths from 300mm to 700mm.

Uses

Heating and temperature holding of light metals in:

- Holding furnaces
- Degassing units
- Transport ladles
- Continuous galvanizing lines
- Hot dip galvanizing lines.

Advantages

The Supratherm 28 immersion heaters family allows you to fine-tune the temperature within your furnaces, without creating over heated zones.

It also helps your factory reach energy saving and decarbonization goals.

Atherm's thermal solutions can be fully customized. Accordingly, the Supratherm 28 line offers a wide range of power ratings, by selecting immersion heaters of various lengths.




ENERGY SAVINGS



DECARBONIZATION



HIGH QUALITY
ALLOYS



SHORT MAINTENANCE
TIME



QUICK
RE-HEATING





Al-Si, Zn-Al-Mg, and other
special non-ferrous alloys

Our experts help to scale the project and to choose the solution that meets the best client's needs.



ATHERM



Note

Heat transfer:conductive

Power supply:adaptable,no transformer needed

IKD
爱柯迪股份

IKD Co., Ltd.

CSMET

AdTech

FIOL

东大三建
NEU-SANKEN

TESLA

StrikoWestofen
A Nirox Technology

STÖTEK

SANKEN
HIROSHIMA JAPAN

ARCONIC

insertec
Furnaces & Refractories

Constellium

RENAULT

aludium
primary aluminum

Novelis PAE
Expert in Cathodic Technology

GAP
ENGINEERING SA

Pyrotek

STELLANTIS

ArcelorMittal

MAGNA



Your thermal solution partner

Atherm-CHINA /www.qdatherm.com /sales-qingdao@qdatherm.com