


32

Immersion heaters for light metals Thermoplongeurs pour métaux non-ferreux

Supratherm 32



Available power ratings



The power ratings range from 8kW to 44kW, corresponding to heating lengths from 250mm to 800mm.

Uses

Heating and temperature holding of light metals in:

- Holding furnaces
- Degassing units
- Transport ladles
- Continuous galvanizing lines
- Hot dip galvanizing lines.

Advantages

The Supratherm 32 immersion heaters family allows you to fine-tune the temperature within your furnaces, without creating over heated zones.

It also helps your factory reach energy saving and decarbonization goals.


Atherm's thermal solutions can be fully customized. Accordingly, the Supratherm 32 line offers a wide range of power ratings, by selecting immersion heaters of various lengths.



Al-Si, Zn-Al-Mg, and other special non-ferrous alloys

Our experts help to scale the project and to choose the solution that meets the best client's needs.





Note

Heat transfer:conductive

Power supply:adaptable,no transformer needed

IKD
爱柯迪股份

IKD Co., Ltd.

CSMET

RdTech

IOLE

东大三建
NEU-SANKEN

TESLA

TESLA

StrikoWestofen
A Sironen Technology

STÖTEK

SANKEN
HIROSHIMA JAPAN

ARCONIC

insertec
Furnace & Refractories

Constellium

RENAULT

alupium
primary aluminum

Novelis PAE
Expert in Carbonless Technology

GAP
ENGINEERING SA

Pyrotek

STELLANTIS

ArcelorMittal

MAGNA



Your thermal solution partner

Atherm-CHINA /www.qdatherm.com /sales-qingdao@qdatherm.com