


55


Immersion heaters for light metals Thermoplongeurs pour métaux non-ferreux

Supratherm 55

ø55mm



Available power ratings



The power ratings range from 10kW to 70kW, corresponding to heating lengths from 200mm to 800mm.

Uses

Heating and temperature holding of light metals in:

- Melting-Holding furnaces for Gigafactories
- Holding furnaces
- Degassing units
- Transport ladles
- Continuous galvanizing lines
- Hot dip galvanizing lines.

Advantages

The Supratherm55 immersion heaters family allows you to fine-tune the temperature within your furnaces, without creating over heated zones.

It also helps your factory reach energy saving and decarbonization goals.

Atherm's thermal solutions can be fully customized. Accordingly, the Supratherm 55 line offers a wide range of power ratings, by selecting immersion heaters of various lengths.




ENERGY SAVINGS



DECARBONIZATION



HIGH QUALITY ALLOYS



SHORT MAINTENANCE TIME



QUICK RE-HEATING




Al-Si, Zn-Al-Mg, and other special non-ferrous alloys

Our experts help to scale the project and to choose the solution that meets the best client's needs.



ATHERM



Note

Heat transfer:conductive

Power supply:adaptable,no transformer needed

IKD
爱柯迪股份

IKD Co., Ltd.

CSMET

AdTech

FIOLCE

东大三建
NEU-SANKEN

TESLA

StrikoWestofen
A Mexican Technology

STOTEK

SANKEN
HIROSHIMA JAPAN

ARCONIC

insertec
Furnaces & Refractories

Constellium

RENAULT

alupium
primary aluminum

Novelis PAE
Expert in Cathodic Technology

GAP
ENGINEERING SA

Pyrotek

STELLANTIS

ArcelorMittal

MAGNA



Your thermal solution partner

Atherm-CHINA /www.qdatherm.com /sales-qingdao@qdatherm.com